

UR049000 - UR049005

Hydrophilic Nelaton Catheter with Water Sachet - Coude Tip

Male Length



INSTRUCTION FOR USE

DESCRIPTION

m|devices Hydrophilic Nelaton Catheter with Water Sachet, in male length, contains a blue coloured holding sleeve to support an aseptic insertion. This all in one product offers convenience and ease of use without the need for additional products.

The hydrophilic coating in conjunction with the coude angled closed distal end and bilateral side eyelets, support a smooth and painless insertion and efficient drainage of urine.

Available sizing range 8Fr -18Fr and length 40cm.

FOR USE BY AN ADEQUATELY TRAINED USER. THE BELOW IS ONLY A SUGGESTION AND THE USER SHOULD BE THOROUGHLY EDUCATED PRIOR TO ATTEMPTING TO SELF CATHETERISE AND BE AWARE OF INFECTION CONTROL PRINCIPLES.

CAUTION

- Single use.
- DO NOT re-sterilise.
- DO NOT store at extreme temperatures and humidity, avoid direct sunlight. Handle with care.
- STERILE (EO), DO NOT use if the package or product has been damaged or contaminated.
- EU Notice: any serious incident that has occurred in relation to the device should be reported to the manufacturer and the competent authority of the Member State in which the user and /or patient is established.

STEPS

1. Perform hand hygiene.
2. Cleanse urethral area as per education protocol.
3. Prior to opening the packaging, locate the water sachet position within the packaging, and squeeze with your dominant hand to burst the water sachet open. This will allow the water to be released into the packaging to lubricate the catheter. Alternatively, you can place the unopened packet on a clean firm surface and by placing the heel of your hand over the water sachet, using your weight to gently burst the water sachet.
4. Wait 15-30 seconds to ensure hydrophilic coating has been activated.
5. Peel package 2-4 cm and holding only the funnel, slowly remove the nelaton approximately 1/3 of its length from the packaging, **taking care not to contaminate it.**
6. Grasp the blue holding sleeve and gently slide it over the nelaton catheter whilst simultaneously removing the remaining length of the nelaton from the packaging.
7. Holding the catheter only by the holding sleeve, use your other hand to hold the penis in position for catheterisation.
8. Insert the nelaton catheter gently into the urethral passage into the bladder, until urine starts to flow. Urine can be drained directly into the toilet or into an alternative receptacle.
9. When the bladder is empty, slowly remove the nelaton catheter and place the used catheter back into the empty packaging for disposal.
10. Perform hand hygiene.

PRECAUTION

- Maintaining aseptic technique during insertion is crucial. If the catheter becomes contaminated, discard and commence procedure using a new catheter.

m|devices

27 Llewellyn Avenue
Villawood NSW 2163
Australia
T +61 (0)2 8718 2800



CONTINENCE
CARE Nelaton Catheters



Multigate Co., Ltd.
4/599 Wuxie Road
Yuecheng District, Shaoxing
Zhejiang, China 312000



RFX+CARE International A/S
Gammel Strandvej 22B
2990 Nivå, Denmark



0123